


MARELD
PRO LIGHTING®



WORK LIGHT FLASH
3000 RE WR

- Extremely impact resistant
- Rechargeable
- Variable dimmer function
- Option to select either high or low beam
- Can be charged wirelessl
- Can regulate cold warm light
- IP 65



WORK LIGHT FLASH 3000 RE WR

This lamp is highly impact resistant and very easy to handle due to its compact size. It is rechargeable and has a variable dimmer function that is controlled from the back of the lamp. Equipped with a USB socket and an option to select either high or low beam. Impact resistance IK08. Battery and charger included.



ART. NO.

690000203

Mareld Segment	Performance
Depth	43 mm
ETIM class code	EC000346
Light source	LED
LED technology	COB
Colour temperature	6500 K, RA 75
Light flux	3000 lm
Effect	30 W
Voltage	12V
Rechargeable	Yes
Charging time	4 h
Operating time 50% output	6 h
Operating time 100% output	3 h
Operating time energy saving output	12 h
Lamp life	30000 h
Working temperature	-20 – +50 °C
Cable type	20 AWG
Cable length	1.8 m
Width	180 mm
Height	133 mm
Colour	Black
Enclosure class IP	IP65
CE marking	Yes

MARELD

PRO LIGHTING®

WWW.MARELDPROLIGHTING.COM

MARELD PRO LIGHTING

Phone: +46 322 60 60 00

info@mareldprolighting.com

mareldprolighting.com